

N APRIL 30, 1979

22 0032
AT 22 0032 AUG, VIS OBSVD BRIGHT WHITE LIGHT APPEARING

AT BEARING 026 (TRUE NORTH) ELEVATION APPROX 15 DEGREES

23 17 82-19W
POSIT OF MULLER. DURING THE FIRST MIN

OF OBSERVATION THE LIGHT WAS PULSATING OR FLUCTUATING

IN BRIGHTNESS AT APPROX ONE SECOND INTERVAL. FOR THE

NEXT TWO MINS OF OBSERVATION THE LIGHT BEGAN PULSATING

CONCENTRIC RINGS OF LIGHT, WHICH FLOWED FROM THE CENTRAL

(S) SOURCE IN A RIPPLING, SHIMMERING FASHION DIMINISHING IN

BRIGHTNESS AS THEY DREW FURTHER AND FURTHER AWAY FROM

THE ORIGINATING SOURCE. DURING THE FOURTH MIN OF

OBSERVATION A BLuish-GREEN BEAM OF LIGHT APPEARED FROM

THE CENTRAL CORE OF THE CONFIGURATION, EXTENDING OUTWARD

AND DOWNWARD TO THE LEFT AT AN ANGLE OF APPROX 45 DEGREES,

AND REACHING TO THE FADE OUT POINT OF THE RADIATING RINGS

OF LIGHT. APPROX FIVE MINS AFTER THE APPEARANCE OF THE

BLuish-GREEN BEAM (SIMILAR IN APPEARANCE TO A SEARCHLIGHT

BEAM), THE RADIATING CIRCLES OF LIGHT DISAPPEARED LEAVING

ONLY THE ORIGINAL CORE OF LIGHT AND THE CORED

BEAM. FOLLOWING THE DISAPPEARANCE OF THE CIRCLES, THE

BEAM SEEMED TO RETRACT TOWARDS THE CENTRAL CORE, GROWING

BROADER AND STOUTER AS IT RETRACTED. FINALLY, THE BEAM

AND CORE SEEMED TO FORM INTO A NEBULOUS CLOUD-SHAPED

MASS, WHICH DRIIFTED SOUTH ON THE WIND, FADING FROM VIEW

AFTER APPROX 14 MINS. DURING THIS EVENT, THE FOLLOWING

ATMOSPHERIC DATA WAS ACCUMULATED: BAROMETER 29.91,

TEMPERATURE - 83 DEGREES DRY/78 DEGREES WET, VISIBILITY

EXCELLENT, FOUR-TENTHS CLOUD COVER (STRATUS AND CUMULUS),

WIND E X N.E. AT 12 KTS, ELECTRICAL STORM FORMING OVER

IMMEDIATE AREA OF CITY OF HAVANA

THIS DOCUMENT DECLASSIFIED BY
COMNAVSECGRU ON APRIL 30, 1979